

ENTRANCE SYSTEMS

Complete Systems Provide Secure, Majestic, Entrance for Commercial and Residential



ALL GLASS ENTRANCE SYSTEMS



FULL FRAME CLADDED DOORS



ULTRA NARROW CLADDED DOORS

ENTRANCE SYSTEMS

TABLE OF CONTENT



ALL GLASS FRAMELESS DOORS PG 4-14



GLASS DOORS HARDWARE ... PG 15-36



PANIC DEVICE ... PG 37-52



EASY LOCKING LADDER PULLS ... PG 53-56



DEADBOLT DEVICE ... PG 57-60



FULL FRAME CLADDED DOORS ... PG 61-72



ULTRA-NARROW CLADDED DOORS ... PG 73-78



ALUMINUM DOORS ... PG 79-88



DOOR HARDWARE PG 89-94



GATES ... PG 95-98



STOREFRONT ... PG 99-108

OTHER COMPLETE PRODUCTS PRL OFFERS PAGE 115-128




CURTAINWALL PG 109-114

ALL GLASS ENTRANCE SYSTEM

The Highest Quality Complete Entry Systems with the Fastest Lead Times in the Industry





P-Style All Glass Entrance Doors with Panic Devices

ALL GLASS ENTRANCE DOOR SYSTEMS



Custom Height P-Style Door with Full Height Locking Ladder Pull

ALL GLASS ENTRANCE DOOR SYSTEMS



All Glass Entrance Door System with P-Style Doors

ALL GLASS ENTRANCE DOORS

For the best in all-glass entrance doors, check out PRL Glass & Aluminum. We furnish a wide range of standard heavy glass door styles, unlimited customizations, and complete entrance systems. Designed for interior and exterior access ways, this product makes for stunning entrances. Carrying full lines of hardware in stainless steel, brass, anodized and painted finishes, our all-glass doors complement businesses and homes beautifully.

We offer five standard heavy glass door styles in addition to Total Vision System (TVS) entrance doors. Accepting a multitude of support elements and hardware, our frameless all-glass doors meet virtually any specification. We supply everything from door rails, to transom pivot brackets and glass fins, to manual locks, electric strikes, a large assortment of door pull handles, and more.

PRL also manufactures infinite custom all-glass doors and complete entrance systems packages. Our expert craftsmen can produce single, multiple and oversized frameless doors. Assembled in-house and shipped with all hardware preinstalled, our entry packages include your choice of heavy glass door style, glass type, specified hardware, locking option and handles.



P-Style Entrance Door with Panic Device in Oil Rubbed Finish

ALL GLASS ENTRANCE DOOR SYSTEMS- *Door Styles*

STANDARD DOOR STYLES

PRL all glass doors are available in various standard styles and are offered with continuous rails or corner patch combinations. Available metal finishes are stainless steel, brass (satin or polished), anodized aluminum and powder coat or Kynar painted.



Reflective Glass Entrance Systems - with Panic Devices

ALL GLASS ENTRANCE DOOR SYSTEMS- *Door Styles*



All Glass Interior Glazing Solutions with P-Style Doors



P-STYLE

A continuous horizontal rail top and bottom from any PL-Series rails.



F-STYLE

Corner patch rails at pivot and lock points in a 9 1/2" section from any PL-Series rails or PL-Euro series fittings.



BP- STYLE

Corner patch rail in a 9 1/2" from any PL-Series rails or any PL-Euro series fittings, and a continuous horizontal bottom rail from any of our PL- Series rails.



A-STYLE

Corner patch rails at pivot points (no lock patch) in a 9 1/2" section from any PL-Series rails or PL-Euro series fittings.

ALL GLASS ENTRANCE DOOR SYSTEMS- Metal Finishes



Bronze Anodized Entrance System with Ladder Pulls

AVAILABLE FINISHES:


Our all-glass entry doors complement businesses and homes beautifully, carrying a full lines of hardware in multiple cladded and anodized finishes,



Polished Stainless Steel




Brushed Stainless Steel



Polished Brass




Satin Brass



Bronze Anodized



Clear Anodized



US10B Oil Rubbed Bronze



*Custom Painted Colors**



P-Style Entrance Doors in Polished Stainless Steel

ALL GLASS ENTRANCE DOOR SYSTEMS- *Metal Finishes*



BP Entrance Doors in Polished Brass Finish

ALL GLASS ENTRANCE DOOR SYSTEMS- *Metal Finishes*




All Glass Entrance System with Custom Ladder Pulls

ALL GLASS ENTRANCE DOOR SYSTEMS- Glass Thickness

GLASS THICKNESS

PRL offers a wide selection of tempered glass types for our all glass entrance door system. We supply top quality tempered glass options, fabricated in-house, these heavy glass doors accommodate 1/2" to 3/4" glass thicknesses depending on the size. Multiple glass options such as: tempered, laminated, tinted, reflective, textured, sandblasted or custom design.



Satin Polished Glass Entrance Door with 3/4" Tempered Glass



1/2" Clear Tempered Glass Interior Doors with PL-Short Ladder Pulls

ALL GLASS ENTRANCE DOOR SYSTEMS- *Custom Oversize Doors*



CUSTOM OVERSIZE ALL GLASS DOORS

Complete systems for interior & exterior oversize doors we provide heavy duty hardware to accommodate special width or height. Whether your all glass entryway calls for multiple glass door configurations, oversized doors, custom profiles or sandblasted tempered glass design, we can fulfill your requirements with our unlimited glass type options and metal finishes. With PRL the possibilities are endless.

Custom Width P-Style Entrance Doors with Ladder Pulls

ALL GLASS ENTRANCE DOOR SYSTEMS- *Custom Oversize Doors*



Custom Height All Glass Entrance Doors with Ladder Pulls

HARDWARE ALL GLASS ENTRANCE

Enhance Your Entrance with Our Broad Selection of Hardware





Oversized P-Style Entrance Doors with Panic Devices

ENTRANCE DOOR HARDWARE- *Total View System*




Total View Entrance System Shown with Custom Header



TVS System with Euro-BP Doors & Top Patch Fitting

ENTRANCE DOOR HARDWARE- *Total Vision System*



TVS System in Oil Rubbed Bronze Finish

TOTAL VISION SYSTEM

PRL's Total Vision System (TVS) is an innovative method to secure and pivot heavy all-glass doors. The tempered glass serves as the structural element and our patch fittings pivot the doors as well as hold adjacent glass panels in place. Fittings dry or mechanical glazed method with precision bolt in a versatile modular dimension (2" x 6 1/2"). Feature removable cover plates with available finishes in aluminum anodize, standard steel and brass.


EURO FITTINGS



PL-450
TRANSOM/SL/FIN/PIVOT BRACKET
4 1/8" H / 8 1/2" W



PL-440
TRANSOM/ SL / PIVOT BRACKET
4 1/8" H / 8 1/2" W



PL-414/424
BOTTOM OR TOP PATCH FITTING
2" H / 6 1/2" W



PL-16300
LOCK PATCH FITTING
4 1/4" H / 3" W



PL-16500
LOCK PATCH FITTING
2" H / 6 1/2" W

ENTRANCE DOOR HARDWARE- Door Rails



Entrance Door with PL-150 Dryset Door Rails

DOOR RAILS

PRL's door rails are engineered with a fascia precision bolt assembly system to make your installation safe and fast, with no need for wet glazing. Our unique cover design allows you to interchange the covers only, without changing the rails. They are designed from 3/8" to 3/4" tempered or laminated glass. Our sidelite rails come in standard architectural finishes such as anodized, clad, powder coat and custom kynar colors upon your request. The Rapid Dry-Set sidelite rails range with tapered or square profiles to match your doors.

NEW



PL-250DS
2 1/16" W x 2 1/4" H



PL-150DS
2 1/16" W x 4 1/4" H

ENTRANCE DOOR HARDWARE- *Door Rails*



PL-350DS
1/2 glass, 2 1/16" W x 4 1/4" H



PL-375DS
3/4 glass, 2 1/16" W x 4 1/4" H



PL-600DS
2 1/16" W x 6" H



PL-1000DS
2 1/16" W x 10 1/8" H



BP-Style Door Entrance System with 2" Door Rails



P-Style Door System with PL-1000 Dryset Door Rails

ENTRANCE DOOR HARDWARE- Sidelite Rails



SIDELITE RAILS

Our Dryset Sidelite Rails. Accepting $3/8"$ to $3/4"$ tempered and laminated glass thicknesses, and ranging in height from $2 3/8"$ to $10"$, these top and bottom horizontal rails. We can extrude virtually any length. Using EPDM compression vinyl and a dry glaze method, glass panels fit perfectly so installation is fast and easy without the need for wet glazing. Delivered in anodized, cladded, custom powder coated and Kynar painted finishes.

Oversize Glass with PL-600 Dryset Sidelites Rails



PL-350SDS
1/2 glass, 2 1/16" W x 4 1/4" H



PL-375SDS
3/4 glass, 2 1/16" W x 4 1/4" H



PL-600SDS
2 1/16" W x 6" H



PL-250SDS
2 3/8" W x 1 7/8" H



PL-150SDS
2 1/16" W x 4 1/4" H



PL-1000SDS
2 1/16" W x 10 1/8" H

ENTRANCE DOOR HARDWARE- *Sidelite Rails*



Sidelites with PL-1000 Dryset Sidelites Rails



Sidelites with PL-600 Dryset Sidelites Rails

ENTRANCE DOOR HARDWARE- Headers

DOOR & SIDELITE HEADERS

PRL's Dry-set sidelight (fixed panels) door rails are designed to capture 3/8" and 1/2" as well as 5/8" and 3/4" tempered glass. Dry-set glass door headers are designed to capture 1/2" tempered glass. Tempered glass is set into door rails and headers with a dry glaze method using EPDM compression vinyl for a perfect fit, making your installation fast and easy with no need for wet glazing. Comes in standard architectural finishes such as: Brushed Stainless Steel, Polished Stainless Steel, Bronze Anodize, Clear Anodize, Mill Finish, Satin Brass and Polished Brass. Consult us for details, colors upon your request.




All Glass Entrance Door with Panic Device

DOOR HEADER



PL400DH
1 3/4" X 4" Door header




PL450DH
1 3/4" X 4-1/2" Door header



PL250DH
2" X 4-1/2" Door header

ENTRANCE DOOR HARDWARE- Headers

SIDELITES HEADER




PL-400SH
1 3/4" H X 4" W



PL-450SH
1 3/4" H X 4 1/2" W



PL-250SH
2" H X 4 1/2" W



PL-175SH
1 3/4" H X 1 3/4" W



Entrance Doors with 2" x 1 3/4" Continuous DS Header



Sidelite with 1 3/4" x 1 3/4" Continuous DS Header


ENTRANCE DOOR HARDWARE- Floating Headers

FLOATING HEADERS


PRL's Floating Headers are designed for Total Vision Systems which allow the use of Overhead Concealed closers. Floating headers are ideal for glass to glass or glass to wall installations. Standard length available for single 36" or 72" pair of doors. Custom Floating Headers are available upon request in order to accommodate custom entries (lead times will vary). Stabilizer Fin brackets may be added for additional support for openings over 10 feet tall.



Entrance Doors with Stainless Steel Floating Headers



36FH
36" Floating header



72" Floating header
with and without fins

ENTRANCE DOOR HARDWARE- *Floating Headers*



A-Style Entrance Doors with Custom Floating Header and Panic Devices



All Glass Wine Cellar with Floating Header

ENTRANCE DOOR HARDWARE- *Thresholds*

THRESHOLDS

PRL's heavy duty aluminum threshold to fill and cover gaps under doors. Standard thresholds are 1/2" tall. Standard length is 36" for single door and 72" for pair of doors. They come in standard architectural finishes such as: Brushed Stainless Steel, Polished Stainless Steel, Bronze Anodize, Clear Anodize, Mill Finish, Satin Brass and Polished Brass. Custom finishes upon request.



TH400
1/2" X 4" Threshold



TH037
1/2" X 7" Threshold



All Glass Entrance Doors with 1/2" x 7" Threshold

ENTRANCE DOOR HARDWARE- Channels

CHANNELS

PRL's channels come in standard architectural finishes such as: Clear Anodize, #4 Brushed Stainless Steel, #8 Polished Stainless Steel, Bronze Anodize, Mill Finish, Satin Brass and Polished Brass. Custom finishes upon request.

U-Channel is ideal for "All Glass Look" installations. May be used as sash above door headers, top and/or bottom of sidelites, or finished floors. We carry the option of wet glazed or Dry-set. Stock lengths are available at 120" or cut to size.

Pinning Channels are required when large glass transoms are being used with Patch Fitting hardware and may require mechanical fastening to the ceiling structure, based on weight size and other design configurations.

U-CHANNEL (TOP & BOTTOM)



WET-GLAZED



DRY-SET

Aluminum U-channels

1 x 1, 1 x 1 1/2, 1 1/4 x 1, 1 1/4 x 1 3/4,


PINNING CHANNEL



10INSERT

Pinning Channel

1 3/8" X 2 5/8" X 3/8"



Conference Room with Custom Glass and Compound Angle Cladded Channels

ALL GLASS ENTRANCE DOOR SYSTEMS- *Samson Hydraulic Patch*





A-Stile Conference Room Door with Samson Patch /Closer

PL- SAMSON SERIES

The Concealed Floor Spring Closer has a Dual Action Functioning range of 150 degrees making it suitable for single or double action doors and is non-handed making it suitable for both LH and RH doors with a maximum door panel weight of 330 lbs. It is available with or without the Hold Open feature at 90 degrees.

The Base Plate on the PF Series is also adjustable to ensure alignment of the door panel. The Stationery position of the door can be adjusted horizontally left to right and forward and back by 1/8" with the door opening angle also adjustable by 4°.


- Maximum Weight 300 lbs
- Maximum Door Width 42 in.
- Maximum glass thickness 3/8"- 9/16"
- Polished or Satin Stainless Steel Cladded Finishes



ALL GLASS ENTRANCE DOOR SYSTEMS- *Samson Hydraulic Patch*



Interior Entrance Door with Closer/Patch and Top Patch



CLOSING SPEED ADJUSTABLE
150° - 10° and 10° - 0°



PL-10170
SURFACE MOUNT TOP PIVOT
L 4 3/16" x W 1"



Office Doors with Closer/Patch and Top Patch



PL- 424
TOP PATCH
L 6 1/2" x H 2"



PL414-HYHD
PL-CLOSER/PATCH
L 9 13/16 x H 3 3/16"

ENTRANCE DOOR HARDWARE- *Locks*



All Glass Wine Celler with Studio Classic Lock and Samson Patch Fitting


ENTRANCE DOOR HARDWARE- Locks



LOCKS

At PRL door hardware is extremely important when it comes to maintaining the safety and privacy of your home. Combining an elegant, traditional style with high security standards, our locking hardware is a great choice for use in all residential and commercial applications. It comes in a range of styles, and different finish options making it easy to enhance not only the functionality and security of the home, but also to meet your project specifications that are required.

F-Style Entrance Door with Deadlatch Lock



PL-16500
LOCK PATCH FITTING
2" H / 6 1/2" W

LOCKS



PL-CLH2
DEADLATCH LOCK
10" H / 6" W



PL-16300
LOCK PATCH FITTING
4 1/4" H / 3" W



910.003
STUDIO CLASSIC
3/8" & 1/2" glass



910.200 / 910.220
STUDIO RONDO LOCK/KEEPER
3/8" & 1/2" glass

ENTRANCE DOOR HARDWARE- Pulls



PULLS

PRL's commercial pulls will offer an elegant and unique touch to your entrance door system. Pulls are typically used on interior doors where a push/pull function is required. Our custom pulls are available in a variety of finishes, diameters, sizes and shapes. The degree of difficulty of the custom pulls is not a problem for PRL. Curved, S-shaped, Square, Tubular or Geometric shapes...we'll accept any challenge!

TVS System with Euro-BP Doors & PL-8 Pulls

ENTRANCE DOOR HARDWARE- Pulls



Total View Entrance Door System with PL-3 Pulls

PULLS



PL-3
10"/12"/18" CC



PL-3 Offset
10"/12"/18" CC



P-Style Entrance Door with PL-8 Pulls



PL-5
12" CC



PL-8
10"/28" CC

ENTRANCE DOOR HARDWARE- *Ladder Pulls*

LADDER PULLS

PRL's ladder pulls will add a contemporary look to any entrance door. Giving it a clean look, and an easy grip, we offer a wide selection of ladder pulls that allow doors to open with ease. Tubular square and round ladder pulls are manufactured in-house. We offer standard and custom lengths. We can also manufacture it with different shapes or curves to match the customer's requirements. The clean appearance of the different finishes adds to the ladder pulls and brings a modern feel to the overall look of the entrance system.




TVS System with Euro-A Doors & Ladder Pulls

ENTRANCE DOOR HARDWARE- *Ladder Pulls*



P-Style Entrance Doors with Full Height Ladder Pulls




PL-LADDER
12"/24", 24"/36" 36"/48",
60"/72", 72"/84" CC/OAL



PL-LPSQ
24", 36", 48", 60"
72", 84" STD OAL



PL-SFU
44"/48" - 68"/72"
80"/84" CC/OAL



CUSTOM LADDER

PANIC DEVICE

Interior Push Bars for Exterior Doors That Serve the Dual Purpose of Meeting Emergency Egress Code Requirements and Act as Decorative Interior Push Handles





All Glass Entrance Systems with PL-100 Round Bar Panic Device

PANIC DEVICE- Features



P-Style Entrance Systems with PL-100 Panic Device and FS Exterior Pulls

PANIC DEVICE- Features



Medium Stile Full Frame Cladded Doors with PL-100FS Panic Device

PANIC DEVICES

At PRL, we offer complete all-glass and full framed door systems including panic door devices. PRL has an innovative, stronger and larger Panic Device with the Fastest Leadtimes in the Industry. Designed to meet emergency egress and fire exit regulations, our hardware has a lot to offer. PRL Panics are offered in tubular L-shaped interior push bars with multiple exterior pull options.

PRL's panic devices are the strongest in the market with UL certification and tested to 2.0 million cycles. They also accommodate to entrance doors up to 120" tall, depending on the door design. We're the only entrance door supplier offering a complete system from one source.

Available with round or square profiles in a variety of popular finishes, our panic devices bring elegance to corporate and access ways. Gone are the days when contractors and architects were limited to only one panic device style. Extruded in-house from stainless steel, PRL provides three styles for all-glass and cladded full framed doors:

- The Classic device, featuring a traditional radius
- The Unique, rendered with a tubular mitered silhouette
- The Innovative, made with a square mitered profile

At PRL, we assemble the panic device, delivering a complete all-glass and/or full framed clades door system. We mounted in house and deliver it ready to be installed. Carried in a variety of stainless steel, brass, oil rubbed bronze and painted finishes, our panic devices complement a host of interiors. Packages arrive with all hardware preinstalled upon delivery and include your choice of door, emergency egress device, glass type, all related hardware and exterior handles. We're the only entrance door supplier offering this service from one source, we can ship internationally.

PANIC DEVICE- Hardware Options



PANIC DEVICE DETAILS

PRL's locking ladder pulls are designed with an easy-lock function eliminating the need to bend and unlock your door at the floor. Our concealed deadbolt locking mechanism allows operation from a comfortable height above the finished floor. A dust proof strike at the floor or barrel strike at the header is used to secure the lock in place. Another option is striking to the floor Strike or the T-hold strike.

Features:

- Operable from the outside with key cylinder
- Operable from the inside with convenient thumb-turn
- Locking option at the head or floor
- Custom manufactured at any length; Full or half size up on request
- Deadbolt mechanism or lock housing at a convenient height




5- LOCK HOUSING

PANIC DEVICE- Hardware Options




1- STRIKE BRACKET




2- GLASS MOUNT BRACKET



3- RAIL MOUNT BRACKET



4- PD SUPPORT BRACKET



**6b- T-HOLD STRIKE
(PL 110 ONLY)**



**6- FLOOR STRIKE
(PL 110 ONLY)**

PANIC DEVICE- Interior Handle Options



PANIC DEVICE- Interior Handle Options

INTERIOR OPERATING HANDLE

Available with round or square profiles in a variety of popular finishes, our panic devices bring elegance to corporate and institutional access ways. Extruded in-house, PRL provides three styles for the interior operating handle suitable for all-glass and cladded full framed doors. An "L" shape handle options are: Classic device, featuring a traditional radius; the Unique, rendered with a tubular mitered silhouette; and the Innovative, made with a square mitered profile.

UNIQUE



PL101- TUBULAR "MITERED"

CLASSIC



PL100- TRADITIONAL "RADIUS"

INNOVATIVE



PL102- SQUARED "MITERED"



Full Frame Cladded Doors with Round Tube Panic Device



F-Style Doors with Custom Square Tube Panic Device

PANIC DEVICE- Exterior Handle Options



Entrance System with Polished Brass Panic Device

PANIC DEVICE- Exterior Handle Options

EXTERIOR HANDLES

Our exterior panic handle series was created to provide harmony and unison for all glass and full framed panic door systems. Otherwise known as dummy handles, PRL's exterior panic handles are designed to match our interior panic devices constructed with the same 1-1/4" diameter tubing.

Offering A to Y standard styles, custom exterior handle designs and a variety of features and options, PRL delivers premium quality exterior deadbolt handles that will make your emergency egress system stand above the rest.



A



B



C



D



E



F



FS

**Available exterior handle styles from A to Y, most popular styles shown. Consult PRL for details.*

PANIC DEVICE- Large

CUSTOM OVERSIZE

The glazing industry is always pushing the envelope for larger glass entrances. This is the reason that PRL is the only supplier of tubular panic hardware available for use on 120" tall tempered glass doors. Contact us for custom height and width Panic Device applications. Our tubular panic hardware has become a great solution for large door applications

↑
up to
10 ft
High*



P-Style Entrance Systems with PL-100 Square Panic Device

PANIC DEVICE- *Strength*

STRONGER THAN EVER

Our Tubular Panic Device and Hardware are now the strongest panic device on the market, tested to over 2.0 million uninterrupted cycles of operation with our PL100 tubular panic. We have undergone testing on 3/4" Tempered Glass Doors up to 120" tall and our PL100 Panic device meets or exceeds the testing requirements. Test reports and technical information can be obtained by contacting PRL.



All Glass Entrance System with P-Style Doors & Round PL 100FS Panic Devices

PANIC DEVICE- Glass Mount Options




P-Style Entrance Systems with PL-100 Square Bar Panic Device

GLASS OPTIONS:

At PRL supply panics to mount on top quality tempered glass doors. The glass thickness varies depending on the door style it will be mounted; our most popular entrance systems are:

Our **frameless all glass doors** can accommodate from 3/8" to 3/4" glass thicknesses depending on the size.

Our **full framed and ultra-narrow cladded doors** accommodate glass from 1/4" to 1-1/4" glass thicknesses*.



**Consult PRL for glass thickness may change depending on the door style*


PANIC DEVICE- Metal Finishes



All Glass Entrance Doors in Oil Rubbed Bronze

FINISHES:

PRL extends a medley of finishes for the panic device. Offering a host of fine finishes, select just the right one that will offset your panic doors beautifully. All extruded in-house, we provide top quality finishes that are sure to last. Custom finishes available upon request, contact PRL for details.



Polished Brass



Polished Stainless Steel




US10B Oil Rubbed Bronze



Satin Brass



Brushed Stainless Steel



Powder Coat

PANIC DEVICE- Door Styles Mount Options

PANIC DOOR OPTIONS

Frameless All Glass:

- P-Style
- BP-Style
- F-Style
- A-Style

Ultra Narrow Cladded:

- WS-450
- WS-475
- WS-878

Full Framed Cladded:

- Narrow Stile
- Medium Stile
- Wide Stile

**Consult PRL for other door options*



All Glass Entrance System with P-Style Doors & PL 100FS Panic Devices



Ultra Narrow Cladded Doors with PL 100 Panic Device and FS Exterior Handle

PANIC DEVICE- Door Style Options



All Glass Entrance System with A-Style Doors & PL 100FS Panic Devices



Multiple Entrance System with Full Frame Cladded Doors & PL 100FS Panic Devices

EASY LOCKING LADDER PULLS

Popular Due to Its Easy Locking Mechanism at Waist Height



Entrance System with Full Height Easy Lock Ladder Pulls

EASY LOCK LADDER PULLS- *Features*

A versatile locking option, the Easy-Lock Pulls are designed to its easy locking mechanism with a lock/unlock function at a comfortable waist height above the finished floor, giving you the option to latch at the floor or head.

PRL's Easy-Lock Pull System offers meticulously crafted pulls in round or square tubing and a secure, durable, lock in a stunning contemporary design to accent swinging heavy all-glass doors, sliding, aluminum and full frame clad doors.

Featuring:

- Half length locks at head or floor
 - Full length locks at head or floor
 - Flexible key outside and thumb-turn inside option
 - Elegant custom designs
 - Custom length available
- *consult us for details*

- **Easy locking mechanism at a convenient height**



Entrance with Custom Easy Lock Ladder Pull



Wine Cellar with Diamond Style Easy Lock Ladder Pulls



Tiffany Slider with Short Easy Lock Ladder Pull

EASY LOCK LADDER PULLS- *Pull Styles*



EASY LOCK LADDER PULLS- *Applications*



Entrance System with Full Height Easy Lock Ladder Pulls



P-Style Doors with Full Height Easy Lock Ladder Pulls

DEADBOLT LOCKING MECHANISM

Offers Security, Ease of Access and Beauty



P Style Door with Floating Header & Top Latch Deadbolt

DEADBOLT- Features

One of PRL's popular locking options is our Tubular Deadbolt Handle. It offers security, ease of access and beauty. This stylish hardware provides a convenient and ergonomically comfortable locking and unlocking height while enhancing your entry with a very elegant, modern, and streamlined appearance. PRL Aluminum custom manufactures all our deadbolt handles in-house to your project's requirements.

Featuring:

- Easily Operable key cylinder out and thumb-turn inside
- 1-1/4 Round or Square Tube profiles available
- Latch option at head or floor
- Custom configurations with full length or half size on request
- **Locking mechanism at a convenient height**



P-Style Oversize Doors with DB-FS Top Latch Deadbolt



Entrance Doors with Full Size Top Latch Deadbolt

DEADBOLT- Pull Styles



SHORT STYLE



LONG STYLE



ADA STYLE

DEADBOLT- Features



Ultra Narrow Cladded Doors with Full Size Top Latch Deadbolt



P-Style Doors with Half Size Top Latch Deadbolt

FULL FRAME CLADDIED DOORS

Elegant Stainless Steel or Brass a Luxurious Alternate, Cladded Entrance Door Systems





Full Frame Cladded Entrance Doors with Panic Devices

FULL FRAME CLADDED DOORS- *Features*



Entrance Full Frame Doors in Stainless Steel

FULL FRAME CLADDED DOORS- Features



Heavy Gauge Aluminum Cladded Painted Door Systems

PRL is proud to offer our Full-frame Cladded Doors. Providing innovation, elegance, strength and style, our full-framed doors will create an entrance to impress. Available in a variety of architectural finishes and with a premium selection of hardware such as our own tubular panic hardware, PRL provides countless options to create an entrance you'll be proud to display!

Designed with durability, security and style in mind, PRL's full-framed doors are fabricated without glass stops, providing clean, unobstructed sightlines. Extruded in-house, our clad doors are designed with a heavier wall extrusion than standard storefront doors. Center Hung and Offset options are available. We offer three different vertical styles. Standard top and bottom rail heights are 4", 5" or 10". But PRL is never limited to standard options and can fabricate to any custom sizes specified! Our doors accommodate glass thicknesses from 1/4" to 1". Numerous laminated glass options are available in-house, including PRL's exclusive bullet resistant. For improved weather control our doors are equipped with state-of-the-art adjustable weather stripping. Our experienced sales team is available to assist with any design questions and quotations. Please feel free to contact our Door Department.

FULL FRAME CLADDED DOORS- Applications



Medium Stile Heavy Aluminum Cladded Painted Door Systems




Full Frame Doors in Brushed Stainless Steel


FULL FRAME CLADDED DOORS- *Door Stiles*

VERTICAL DOOR STILE:


WIDE STILE:



MEDIUM STILE:




NARROW STILE:



FULL FRAME CLADDED DOORS- Applications



Cladded Doors in Satin Brass Finish



Stainless Steel Clad Full Frame with IG Unit

PRL complete entrance systems are manufactured and assembled in house. We extrude all of our own shapes in the U.S. at our own facility and we offer all standard as well as custom sizes based on your job requirements. Our custom glass clad doors are glazed and ready to install. We have various types of tempered glass thicknesses available. All you have to do, is give us your opening dimensions and we will provide you with a complete door package based on your specifications.

FULL FRAME CLADDED DOORS- *Custom Doors*



Custom Configuration Full Frame Cladded Door with Ladder Pull

FULL FRAME CLADDED DOORS- *Finishes*



FINISHES:

Accent your exterior or interiors full frame cladded doors with our durable, low-maintenance cladding in a spectrum long-lasting finishes. For our clad doors we use custom extrusions designed for minimal seams in the cladding. We carry a varying of cladding finish, standard and custom color matching is also available to meet any design vision.

Double Doors Full Frame Doors in Satin Brass Finish



Polished Brass



Polished Stainless Steel




US10B Oil Rubbed Bronze



Satin Brass



Brushed Stainless Steel



Custom Finishes


FULL FRAME CLADDED DOORS- Glass Types



Full Frame Cladded Doors in Polished Stainless Steel

GLASS THICKNESS

PRL Full framed clad doors can utilize glass from 1/4" thickness to 1" thickness and have no visible glass stops due to their unique design. Including framing, hardware, tempered glass, producing a very high quality clad entry door. Built for durability and to enhance door's appeal for years to come.



FULL FRAME CLADDED DOORS- Applications



Double Doors Wide Full Frame Cladded Doors in Stainless Steel



Medium Stile Full Frame Doors with Custom Pulls



Medium Stile Full Frame Doors in Polished Stainless Steel

FULL FRAME CLADDED DOORS- *Applications*



Medium Stile Full Frame Doors in Polished Stainless Steel

ULTRA NARROW CLADDED DOORS

Spontaneous Entrance Doors Giving the Impression of All Glass Doors with Very Narrow Vertical Stiles





Monumental I-Line Stile Entrance Doors with PL100F Panic Device

ULTRA NARROW CLADDED DOORS- Features

ULTRA NARROW CLADDED DOORS

Looking for a sleek contemporary entrance door that provides an expansive glass view, while incorporating minimal stiles for weathering? PRL Offers Ultra Narrow I-Line doors in an assortment of beautiful finishes and tempered glass options. They're equipped with state-of-the-art adjustable weather stripping. Manufactured without visible glass stops, these cladded doors sport a clean, minimal-seam look. PRL's ultra-narrow stiles accommodate extra tall access ways creating durable entries with sweeping glass views. Utilizing ultra-narrow vertical stiles with weather-stripping, these doors are manufactured with solid aluminum stiles for your most heavily trafficked entrances and combined with the minimal sightline you can afford a generous all-glass appearance to adorn an entryway. Our mission is to provide you with a complete entrance package that will include the frame, glass, hardware, and doors.



WS-878
7/8"



WS-450/WS-4751
5/16"

GLASS THICKNESS

PRL ultra narrow cladded doors can utilize tempered glass from 1/2" and 3/4" thickness and have no visible glass stops due to their unique design. Including tempered glass, framing, hardware, producing a very high quality clad entry door.



1/2"



3/4"



Ultra Narrow Cladded Doors in Oil Rubbed Bronze


ULTRA NARROW CLADDED DOORS- *Finishes*



Ultra Narrow Cladded Doors with Panic Devices

AVAILABLE FINISHES:

Our ultra narrow cladded doors are provided with architectural metal finishes creating a beautiful and stunning entry. For our clad doors we use custom extrusions designed in-house for minimal seams in the cladding. Furnishing a large collection of metal finishes these cladded doors.



Bronze Anodized



US10B Oil Rubbed Bronze



Polished Brass



Satin Brass



Polished Stainless Steel




Brushed Stainless Steel



Clear Anodized



*Custom Painted Colors**




Ultra Narrow Cladded Doors in Polished Brass Finish

ULTRA NARROW CLADDED DOORS- Door Vertical Stiles



Custom Height Ultra Narrow Cladded Doors with Custom Height Ladder Pulls



ULTRA NARROW CLADDIED DOORS- Applications



Ultra Narrow Single Cladded Door in Oil Rubbed Bronze Finish

ALUMINUM DOORS

Aluminum Doors are Available in Many Different Styles Including an Adaptable Custom Design





Custom Aluminum Doors with Muntins and Ladder Pulls

ALUMINUM DOORS- Features



Aluminum Doors with Short Ladder Pulls

ALUMINUM DOORS- *Features*

COMPLETE ALUMINUM DOOR SYSTEMS

PRL aluminum doors are top quality and functional, without compromising style. Aluminum Doors can be configured as single acting, double acting and accommodate top/bottom pivots, butt hinges, or piano hinges in conjunction with door hydraulic operators to function as center or offset hung. Doors are available in many different styles including adaptable custom designs. Our doors offer strong reinforced and welded corner construction for top performance that permits their use in heavy duty applications or oversize installations. Pairs of Doors are offered with standard meeting rails or special adjustable meeting rails for those difficult and out of square openings.

Available individually or as complete entry packages, this product line can stand up to the heaviest of demands. Our aluminum doors are produced in-house. Offered in standard anodized and painted finishes. Combine your order with tempered or laminated glass, IG units and you will receive a complete door package opening ready for fast and easy.



Complete Entrance System with PRL Fabricated Storefront , Doors & IG Units with Reflective Glass

ALUMINUM DOORS- Applications



Double Doors with PL 100 FS Panic Device



Aluminum Doors with Custom Offset Pulls

ALUMINUM DOORS- Door Styles

DOOR STYLES

Aluminum doors are available as single or double doors, we render narrow, medium and wide vertical stiles. All our doors can be accommodated to extra tall entrances. High bottom rails may be adapted to all size and to meet local codes. All doors are produced to specific size requirement in widths and heights within limits of each specific. Extruded from heavy duty aluminum alloy, these ingress doors can stand up to whatever you deliver.



Custom Aluminum Doors with Wide Muntins & Curved Transom Frame



Narrow Style



Medium Style



Wide Style



Custom Style
Custom height w/ horz muntin

ALUMINUM DOORS- Glass Selection

GLASS THICKNESS

Fabricating all glass in-house PRL produce the finest tempered, laminated, insulated and sandblasted glass. For our Aluminum doors we use glass thickness from 1/4" to 1" thicknesses. Enhance your entrance doors with a custom sandblast design made exclusively to your specifications.



1/4"



1"(IG Unit)



Double Aluminum Doors with Reflective Glass

ALUMINUM DOORS- *Finishes*

FINISHES:

Accent your exterior or interior complete aluminum door system with our spectacular high-quality finishes. PRL provides a collection of kynar and powder coat finishes. At PRL we specialized on color matching standard and custom colors are available to meet any design vision.



Clear Anodized



Bronze Anodized



Custom Finishes



201 Series Storefront in Custom Finish

ALUMINUM DOORS- Custom Configurations



Custom Wide Stile Doors with Muntins & Designer Texture Glass



Single Door with Horizontal and Vertical Muntins



Custom Oversize Door with Ladder Pulls

ALUMINUM DOORS- Custom Configurations



Curved Framing & Double Doors with Custom Muntins

DOOR HARDWARE- Locks



Custom Finished Full Framed Aluminum Door

DOOR HARDWARE- Locks



Aluminum Doors and Storefront with Bronze 4569 Deadlatch

MECHANICAL LOCKS



AR1850
MS1850 deadlock



AR1850
MS1850 deadlock



AR4510
4510 series deadlatch



AR1890
1890 Dead Latch/Lock



AR4900
4900 Series Deadlatch

DOOR HARDWARE- *Panic Bars*



Double Aluminum Doors with Reflective Glass, Panic Hardware & PL-3 Offset Pulls

PANICS

PRL's standard push bar Panic Device is a high quality exit device hardware. Panics bar perfect to be installed on aluminum doors, Full Frame clad doors and Ultra Narrow doors. These panic bars can be used in all commercial environments, offices, gyms, restaurants, factories, hospitals, healthcare, schools and many more. Keep doors in high traffic areas securely and safely closed, with easy access to open by pushing the bar. Can be opened with hand or by leaning on the unit with any body part. High-quality manufacture to safety standards tested for quality control.



AR8600
8600 AR Series Exit Device



VDP9899
98/99 VD Series Exit Device



AR8800
8800 AR Series Exit Device



VDP3335
33/35 VD Series Exit Device

DOOR HARDWARE- *Electric Strikes*

ELECTRIC STRIKES

Electric strikes of any aluminum door equipped with an Adams Rite Series. These compact mechanisms fits into aluminum jamb (or opposing door) sections, most effective where keyed entry and security is needed. Included hardware for easy installation. Electric strikes are one of the main elements of every access control system whether it's a commercial building, school, hotel, hospital or any other facility which security is desired.



AR7400
7400 AR electric strike



AR7100
7100 AR electric strike



Aluminum Door with an Electric Strike and Panic Device



Aluminum Door with an Electric Strike and Offset Handle

DOOR HARDWARE- Mechanical Locks

MECHANICAL LOCKS

PRL's mechanical locks are the ideal security solution when strength and dependability are required. We've made it an easy choice, these standard mechanical locks has long been a top choice for its quick installation, and durability.



SCHAL
AI series latch lock



SCHND
ND series latch lock



SCHL9000
L series latch lock



Aluminum Doors with Curved Transom Frame

DOOR HARDWARE- Lever

LEVER

PRL's standard Deadlatch Handles are easily unlock. Deadlatches are designed to operate by a natural downward hand movement, these handles incorporate an activator cam disc that mounts on the handles and fits solidly into the cylinder hole of the latch.



AR4568
4568 AR series deadlatch



AR4560
4560 AR series deadlatch



AR4569
4569 AR series deadlatch



Wide Stile Aluminum Doors with Custom Height

CUSTOM GATES

PRL Offers a Variety of Glass and Metal Gate/Fencing for Standard and Custom Applications



Beach Access Gate with Centerlock Housing

GATES- All Glass, Stainless Steel & Aluminum Applications

PRL Glass gates add a contemporary option to access control for residential or commercial applications. Our Glass and Aluminum Gates combine the best qualities, of aesthetic transparency, privacy and security. The transparency of glass is a wonderful way to showcase beautiful gardens, pools, views or property structures and our hardware selection offers security options with euro lock/lever handles, strikes, fittings or adaptable centerlock housings.

We provide complete glass gates and fences, fabricated to your specifications in our facility and delivered ready to install.



Access Gate with Acid Etch Glass



All Glass Gate with Ladder Pull



Beach Access Gate with Centerlock Housing



Color Laminated Glass Gate with Lever Housing Bottom Patch Lock

GATES- All Glass, Stainless Steel & Aluminum Applications



Custom All Glass Full Height Fence Entrance Door

GATES- All Glass, Stainless Steel & Aluminum Applications




Full Frame Gates with Textured Laminated Glass



Custom Access Gate with Centerlock Housing



Aluminum Gates with White Rainbow Color Laminated Glass



Security Gate with Custom Strike Application



Access Control Gate with Sandblast Design Logo

STOREFRONT SERIES

Complete Glass and Metal Systems Ready to Install





250 Storefront Series with IG Units

STOREFRONT ALUMINUM SYSTEMS- *Features*



STOREFRONT ALUMINUM SYSTEMS- Features



Custom Storefront Doors with Custom Pulls

- Complete Fabricated Systems
- Stock Lengths Available
- Shop Drawing Services
- All Hardware Options Available
- Unlimited Glass Options:

- | | |
|-------------------|--------------|
| • Clear | • Low E |
| • Textured | • Sandblast |
| • Tinted Uncoated | • Reflective |
| • Spandrel | • Laminated |
| • Sentry | • Custom |

STOREFRONT SERIES

- | | | |
|------------|-----------------|--------------------|
| 201 | 2" x 4 1/2" | 1/4" Offset Glazed |
| 250 | 2" x 4 1/2" | 1" Center Glazed |
| 251 | 2" x 4 1/2" | 1" Offset Glazed |
| 400 | 1 3/4" x 4" | 1/4" Center Glazed |
| 401 | 1 3/4" x 4" | 1/4" Offset Glazed |
| 450 | 1 3/4" x 4 1/2" | 1/4" Center Glazed |



Cladded Storefront with Full Height Ladder Pulls

STOREFRONT ALUMINUM SYSTEMS- *Interior Applications*



Aluminum Door/Framing with Clear & Acid Etch Glass



201 Series Custom Storefront with Spandrel and Clear Glass

STOREFRONT ALUMINUM SYSTEMS- *Exterior Applications*



250 Series with Vistacool Reflective Glass IG Units



250 Series with Coastal Tinted Glass IG Units

ALUMINUM STOREFRONT- Glass Selection



Aluminum Storefront system with IG Unit Clear Glass

GLASS THICKNESS

Fabricating all glass in-house PRL produce the finest tempered, laminated, and insulated. For our storefront system we use glass thickness from 1/4" to 1" thicknesses depending on the series. Enhance your system with custom sandblast design made exclusively to your specifications.




1/4"



3/8"



1/2"




1"(IG Unit)

ALUMINUM STOREFRONT- *Finishes*



Aluminum Storefront system with Custom Finish



Clear Anodized



Bronze Anodized















Custom Finishes

FINISHES:

Accent your exterior of your curtainwall system with our spectacular high-quality finishes. Built to boost and to enhance any entrance systems. PRL provides a collection of kynar and powder coat finishes. At PRL we specialized on standard colors and color matching custom colors are available to meet any design vision.

STOREFRONT ALUMINUM SYSTEMS- Offset Glazed Series
















201 SERIES 2" x 4 1/2" 1/4" Offset Glazed		251 SERIES 2" x 4 1/2" 1" Offset Glazed		401 SERIES 1 3/4" x 4" 1/4" Offset Glazed	
HEAD		HEAD		HEAD	
	NAME HEAD ASSEMBLY		NAME HEAD ASSEMBLY		NAME HEAD ASSEMBLY
	PART NUMBER 201HCA		PART NUMBER 251HCA		PART NUMBER 401HCA
LENGTH	24'-1"	LENGTH	24'-1"	LENGTH	24'-1"
HORIZONTAL		HORIZONTAL		HORIZONTAL	
	NAME HZ ASSEMBLY		NAME HZ ASSEMBLY		NAME HZ ASSEMBLY
	PART NUMBER 201HMA		PART NUMBER 251HMA		PART NUMBER 401HMA
LENGTH	24'-1"	LENGTH	24'-1"	LENGTH	24'-1"
SILL		SILL		SILL	
	NAME SC ASSEMBLY		NAME SC ASSEMBLY		NAME SC ASSEMBLY
	PART NUMBER 201SCA		PART NUMBER 251SCA		PART NUMBER 401SCA
LENGTH	24'-1"	LENGTH	24'-1"	LENGTH	24'-1"
JAMBS		JAMBS		JAMBS	
	NAME WALL JAMB		NAME VERTICAL MULLION		NAME WALL JAMB
	PART NUMBER 201WJ		PART NUMBER 251VM		PART NUMBER 401WJ
LENGTH	24'-1"	LENGTH	24'-1"	LENGTH	24'-1"

MATERIAL: 6063-T5 aluminum alloy.

FINISH: Standard finishes are mill, clear and bronze anodized. All others are special order.

NOTES: Storefronts are available in quick set or screw race, please consult PRL aluminum for details.

STOREFRONT ALUMINUM SYSTEMS- Center Glazed Series

250 SERIES 2" x 4 1/2" 1" Center Glazed		400 SERIES 1 3/4" x 4" 1/4" Center Glazed		450 SERIES 1 3/4" x 4 1/2" 1/4" Center Glazed	
HEAD		HEAD		HEAD	
	NAME HEAD ASSEMBLY		NAME HEAD ASSEMBLY		NAME HEAD ASSEMBLY
	PART NUMBER 250HCA LENGHT 24'-1"		PART NUMBER 400HCA LENGHT 24'-1"		PART NUMBER 450HCA LENGHT 24'-1"
HORIZONTAL		HORIZONTAL		HORIZONTAL	
	NAME HZ ASSEMBLY		NAME HZ ASSEMBLY		NAME HZ ASSEMBLY
	PART NUMBER 250HMA LENGHT 24'-1"		PART NUMBER 400HMA LENGHT 24'-1"		PART NUMBER 450HMA LENGHT 24'-1"
SILL		SILL		SILL	
	NAME SC ASSEMBLY		NAME SC ASSEMBLY		NAME SC ASSEMBLY
	PART NUMBER 250SCA LENGHT 24'-1"		PART NUMBER 400SCA LENGHT 24'-1"		PART NUMBER 450SCA LENGHT 24'-1"
JAMBS		JAMBS		JAMBS	
	NAME WALL JAMB		NAME DOOR JAMB		NAME VERTICAL MULLION
	PART NUMBER 250TJ LENGHT 24'-1"		PART NUMBER 400DJ LENGHT 24'-1"		PART NUMBER 450VM LENGHT 24'-1"
135 CORNER POST		FLAT CORNER POST		DUAL POCKET CORNER POST	
	NAME 135 CPOST		NAME FLAT CORNER POST		NAME CORNER POST (2P)
	PART NUMBER 250NCPA LENGHT 24'-1"		PART NUMBER 400FCPA LENGHT 24'-1"		PART NUMBER 450DBCP LENGHT 24'-1"

MATERIAL: 6063-T5 aluminum alloy.

FINISH: Standard finishes are mill, clear and bronze anodized. All others are special order.

NOTES: Storefronts are available in quick set or screw race, please consult PRL aluminum for details

ALUMINUM CURTAINWALL

Designed and Engineered for Maximum Performance





Complete Curtainwall System with IG Units and Aluminum Doors

ALUMINUM CURTAINWALL- Features



PLCW-600 Series with Low E Clear Glass IG Units

CURTAINWALL

PRL Aluminum Curtain Wall Systems (PL-CW600, 700 and 1000) offer a structural solution when standard storefront is insufficient to meet size and load requirements. Our Curtain Wall is designed and engineered for maximum performance and highest quality assurance. We offer complete systems including doors, sub-frames, hardware and glazing.

- Aluminum Framing/All Glass
- Custom Extrusions
- Complete Storefront System
- CNC Fabrication
- Hardware
- Custom Breakmetal
- Architectural Glass



PLCW-700 with SN68 Super Neutral Glass

CURTAINWALL SERIES

- PLCW-600 - 2 1/2" x 6"
1" Offset Glazed
- PLCW-700 - 2 1/2" x 7"
1" Offset Glazed
- PLCW-1000 - 2 1/2" x 10"
1" Offset Glazed



PLCW-600 Series with Pacifica Tinted Glass


ALUMINUM CURTAINWALL- Glass Selection

GLASS THICKNESS

Fabricating all glass in-house PRL produce the finest tempered, laminated, and insulated. For our curtainwalls systems we use glass thickness from 1/4" to 1" thicknesses. Enhance your entrance doors with a custom sandblast design made exclusively to your specifications.



1/4"



1"(IG Unit)



Curtainwall with 1/4" Solarban® 60 Low-E and Atlantica IG Units


ALUMINUM CURTAINWALL- Features




Curtainwall with Tinted Glass and Spandrel Glass




Curtainwall System with Reflective Glass




HEAD



HORIZONTAL



SILL



JAMBS



Features

- Versatile
- Structural
- Energy efficient
- Custom design
- Fastest design/mfg

*Please Consult PRL for details

ALUMINUM CURTAINWALL- *Features*

FINISHES:

Accent your exterior of your curtainwall system with our spectacular high-quality finishes. Built to boost and to enhance any entrance systems. PRL provides a collection of kynar and powder coat finishes. At PRL we specialized on standard colors and color matching custom colors are available to meet any design vision.




Clear Anodized



Bronze Anodized



Custom Finishes



ALUMINUM BI-FOLD

Complete Accordion Bi-fold Aluminum System a Versatile Solution for Any Application



Custom Laminated
WOOD GRAIN FINISH
(Multiple Tones Available)

Accordion Bifold with Custom Laminated Wood Finish

Accordion

- Versatile
- Weather Resistant
- Thermally Broken
- In-line / Multiple Panels
- Custom Configurations
- Dual Function Slide/Bifold
- Dual Tone Finish Feature



MAX ALUMINUM SLIDER

Complete Max' Aluminum Slider System Ready to be Install

Features:

- Efficiency & Durability
- Elegance
- Smooth Sliding
- Views
- Weather Tight
- Hurricane Resistant
- Dual Tone Finish Feature

• Three Configurations:

- Cancun Bottom Roller
- Cabo Top Hung
- 90 Degree Corner Conf.

• Three Standard Stiles:

- 3" Locking Stile
- 1" Ultra Narrow Stile

THERMALLY
BROKEN SLIDER
(Dual Tone Option)



90 Degree Max Pocket Slider with Low-E Glass IG Units

RUBY ALL GLASS SLIDER

Contemporary and Elegant Interior Top Hung Stainless Steel Sliding System

Features:

Wall/Glass Mount.
Weight Limits: 2 Rollers (220).
Track Length: Up to 20' Long.
Tempered Glass Thickness: 3/8", 1/2"



Wall Off Set Mount



Glass Mount



Glass Mount Ruby Slider System with Easy Locking Ladder Pull

TIFFANY ALL GLASS SLIDER

Top Hung Sliding Unit Slides Effortlessly Using Only Two Small Suspension Points

Features:

Wall Mount. Fascia Mount.
Weight Limits:
-2 Standard Rollers (265 lbs.).
-3 Standard Rollers (353 lbs)
Tempered Glass Thickness: 3/8", 1/2"



Tiffany Slider Systems with Short Easy Locking Ladder Pull



Top Hung Slider
2 3/8" Diameter Bracket

ALUMI SLIDER

Lighter Weight High Quality Modern Interior Aluminum Slider

Features:

- 2" Rollers
 - Max weight cap. 220lbs per roller
- We can match any size top or bottom rail (up to 10")
- Size limitations 60" x 108"
- Interior application only
- Top hung or Bottom roller
- Muntin Bars

Glass Options:

- 1/4", 3/8" 1/2" & 1"
- Tempered
- Laminated
- IG Units

Door Styles

- Narrow Stile- 2"
- Medium Stile- 3 1/2"
- Wide Stile- 5 1/8"



In-line Top Hung Alumi-Slider in Clear Anodized Finish

CLASSIC FULL FRAME CLADDDED SLIDING SYSTEM

The Beauty of a Uniquely and Elegant Door System Cladded Enhances Any Room



Double Panel Full Frame Sliding System with Bottom Sliding Tracks

Bottom Rolling System

- Interior Applications Only
- Without Glass Stops
- Unlimited Glass Options
 - Glass thickness 1/4" to 1"
- Luxurious Cladded Finishes
- Two Roller Weight Capacity up to 1000 lbs



Bottom Rollers

CLEARVISION MOVABLE WALL SYSTEM

Top Hung Movable Glass Wall System Provides Great Design Flexibility

Frameless glass system for commercial and residential entrances PRL offers our Clearvision movable glass stacking wall system that allows glass panels to stack, slide and swing.

Features:

- Frameless System
- Dual swing or sliding
- In-line, stacking, or segmented configurations
- Convertible sliding panel easily transform into a swing door
- Single or multiple panels
- Flexible top hung sliding system
- Top and bottom rails



Movable All Glass Top Hung Slider/Stacking Door System

CLASSIC SLIDING SYSTEM

Providing Strength and Beautiful Solutions for Practically Any Exterior or Interior Application



P Style Bottom Roller Sliding Doors & Frameless Sidelites

PRL's Classic bottom rolling sliding systems offer unlimited options wherever space is valuable and exposure is critical.

Features:

- Top sliding track (2 3/8" W x 1 1/2" H)
- Single Panel/ Multiple Panels
- Top / Bottom Rail
- Bottom straddle
- SQ bolt lock
- Tandem SS roller
- Bottom sliding track (3/8" W x 3/8" H)

INSULATED GLASS

Total Energy Performance Product that Translates into Reduced Energy Cost and Increased Comfort



Max Slider and Accordion Bifold with Low-E Glass IG Units

PRL IG Units are a high quality, total energy performance product that translates into reduced energy cost and increased comfort. Insulated glass helps maintain inside room temperatures while saving energy.

IG Unit line capabilities

- Max. sizes 98" x 137"
- Min. size 6" x 6"
- Lead-times are 2 to 3 working days
- 24-hour service available upon customer's request
- Thickness from 1/2" to 1 1/2"

TEMPERED GLASS

Unlimited Glass Applications

Tempered glass is always much more resistant to breakage than raw glass. Even if it breaks, the glass disintegrates into relatively small pieces, which is less likely to cause a serious injury. It is very common for glass doors, sidelites, balconies, etc.

**Oversize tempered glass available
110" x 189"**

**consult PRL for details.*



Fixed Tempered Glass Frameless Sidelite System



Oversize Fixed Panel with 3/4" Tempered Glass

LAMINATED GLASS MAKE-UPS

Offers Unlimited Make-up Possibilities



Bullet Resistant
up to level 8



Full Frame Doors with Bullet Resistant Glass



Curtainwall with Custom Color Glass

Structural SentryGlas®



Structural Safe Laminated Glass with Custom Brackets & Spiders

Sound Control



Storefront with Sound Control Glass

Decorative Laminated Glass



Entrance Door with Custom Interlayer Lami Glass

PRL'S PRODUCT LINE

SPANDREL COLOR GLASS

For Exterior and Interior Applications




Spandrel Offers:

- Aesthetic
- High Durability
- Heat-treated
- Multiple-Applications
- Unlimited Color Options

Curtainwall with Color Spandrel IG Units

LOW E

Exceptional Line of High Performance Low-E Glass Inventory of Top Quality Products



Features:

- High visible light transmittance
- Low-to-medium reflectivity
- Excellent solar control
- Dramatic energy savings that meet or exceed local and regional building energy codes
- Fastest Low-E Glass Leadtimes in the industry
- Next day service available

Project with Low-E Glass IG Units

FIRE RESISTANT GLASS

Think Clear. Think Big. Think Keralite

3/16" KERALITE® FILMED
Fire-Rated Safety Glass Ceramic

5/16" KERALITE® LAMINATED
Fire-Rated Laminated Safety Glass Ceramic

The best in class glass ceramic features:

- The largest extended-size glass ceramic in the industry
- Lowest haze
- Highest color rendering index
- Fastest in the industry
- Superior Customer Service

By veritech

BULLET RESISTANT GLASS

Available **LEVELS 1-8** with the Fastest Leadtimes in the Industry

Features:

- Lighter glass alternatives with 1" thickness thru level 3
- Full Range/ No Spall Protection
- High Ballistic Resistance without excessive weight or thickness
- Exclusive make-up glass, PVB and Polycarbonate
- Thinner make-up fit security doors glazing pocket
- NIJ 0108.01

• Protection Levels:



Transaction Windows with Level 1 Bullet Resistant

PRL'S PRODUCT LINE

SANDBLAST

Enhance Glass Elegance with Surface or Deep Carved Custom Designs



Features:

- Carved
- Surface Sandblast
- Artistic
- Custom Artwork
- Tri-Dimensional Sandblast

All Glass Sidelites with Custom Sandblast Design

MIRRORS

Enhance your Space with Elegance



Enhances with:

- Polished Edges
- Multiple bevels
- Beveled Edges
- Sandblast artwork

Wall Mirror with Light Fixture Custom Cut Outs

GLASS SPECIALTIES

Custom Work with Expert Craftsmanship Creating Elegance & Style



Fabricate the most unique glass pieces:

- Oversized glass
- Surface and artistic carved sandblast glass
- Decorative glass wall
- Sandblast and carving

You dream it, we build it

Custom Handrail Segmented Design

TABLETOPS

Artistic, Beautiful, and Creative Applications for Residential and Commercial




Oversized Tabletop with Custom Sandblast Design and Glueship

PRL'S PRODUCT LINE


COMPLETE HANDRAIL & GUARDRAIL SYSTEMS

PRL Offers Contemporary Railing Systems Options, Components as well as Custom Fabrications

PRL'S PRODUCT LINE



Infinity
Aluminum modular railing



Flex Post Series
Optional adjustable top cap



Elegante Stand-off
Frameless surface mount system



Rapid Dry-set
Precision bolt assembly



- Round or Square Top Caps
- Wall/Glass Mount HR Brackets
- Round or Square Guardrail Tube
- Custom Glass Options
- Glass Cut to Custom Patterns

ALUMINUM CUSTOM EXTRUSION

PRL's State of the art 2400 tons/8" Diameter



There is no challenge to PRL when it comes to producing the highest quality aluminum extrusion with our equipment. Very complex hollows of all sizes and shapes are very common for us.

- Custom designed extrusions
- Up to 8" diameter shapes extrude
- Fabrication/CNC Capabilities
- Fastest leadtimes in the industry*
- Finishing:
 - Clear anodized, bronze anodized,
 - Custom paints colors available on request

STOCK LENGTH

Many Series Available Ready to Be Ship

Features

- 24' Stock Lengths
 - Custom Lengths cut to size*
- Ready to ship out next day
 - Will call the same day
- Fastest leadtimes in the industry*

*Consult us for details



Aluminum Stock Inventory

BREAKMETAL

Custom Form Metal Profiles



Full Frame Doors & Storefront Framing Cladded in Satin Brass

Clad

- Full Frame Doors
- Storefront Framing
- Column Covers
- Cornices
- Panel Pans
- Top Caps
- Miter Returns/Corners
- Corners
- Connectors

Metal Finishing

- Mirror Polishing
- Directional
- Satin Brush



PRL'S PRODUCT LINE

FRAMELESS SHOWER SLIDER


Frameless, Trendsetting Design and an Smooth, Effortless Operation

PRL has what you're looking for- our Ruby and Tiffany shower door sliders! These stunning all-glass shower sliders will take your breath away with their frameless, cutting-edge design. Multiple 3/8" glass options to choose from and easy, smooth operation.

Features:

- Modern 4-wheel roller system
- Easy and smooth sliding operation
- Multiple 3/8" glass options
- Maximum door weight:
 - Ruby: 120 lbs
 - Tiffany: 90 lbs
- Support Bar:
 - Ruby: 120 in
 - Tiffany: 72 in

3 Different Hardware Finishes



Oil Rubbed Bronze



Brushed Stainless Steel



Polished Stainless Steel

DUAL BIPASS SLIDING TRACK



Dual Tiffany Bipass Shower Slider with Starphire Glass

RECTANGULAR SLIDING TRACK



Sample shown in BSS

Tiffany Shower Slider in Brushed Stainless Steel

ROUND SLIDING TRACK



Sample shown in ORB

Ruby Shower Slider In Polished Stainless Steel

CONTOURED SHOWER SLIDER

The Most Popular Tub and Shower Slider, You Don't Have to Sacrifice Beauty for Practicality

Glass is offered in 3/8" with options in,

- Clear Glass / Tinted Glass
- Pattern Texture Glass
- Custom Sandblasted Glass

Available finishes are:

- Bright-Dip Clear Anodized
- Oil Rubbed Bronze
- Brushed Nickel

Standard Hardware:

- Single Towel Bar/Singles Knob



Shower Slider with 3/8" Starphire Glass in Brushed Nickel Finish

COMPLETE SHOWER / STEAM UNITS

Offer an Elegant Accent to the Bath Environment and Enhances Custom Tile or Marble Work



Steam Unit with a Mini Ladder Pull



90-Degree Custom Unit with Custom Vent Cut Out

*Diamond Seal
coating Available!*

PRL'S PRODUCT LINE

We are only a simple click away

Quick Order & Quotes Online

*at **PRL** Glass & Aluminum*

One Stop Shop

*Shop for all the products you need at
one place, it's that easy*



ALUMINUM DOORS



ENTRANCE DOOR HARDWARE



PANIC DEVICE HARDWARE

